

## SAFETY DATA SHEET

#### 1. Identification

Material name: Spectrem® 4 Material: 976500 802

#### Recommended use and restriction on use

Recommended use: Sealant Restrictions on use: Not known.

#### Manufacturer/Importer/Supplier/Distributor Information

Tremco U.S Sealants 3735 Green Road Beachwood OH 44122 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

#### 2. Hazard(s) identification

#### Hazard Classification

#### Health Hazards

| Respiratory sensitizer | Category 1  |
|------------------------|-------------|
| Carcinogenicity        | Category 1A |
| Toxic to reproduction  | Category 1B |

#### **Unknown toxicity - Health**

| Acute toxicity, oral                     | 1.54 %  |
|--|---------|
| Acute toxicity, dermal                   | 2.68 %  |
| Acute toxicity, inhalation, vapor        | 97.12 % |
| Acute toxicity, inhalation, dust or mist | 96.79 % |

#### **Environmental Hazards**

| Acute hazards to the aquatic | Category 1 |
|------------------------------|------------|
| environment                  |            |

#### **Unknown toxicity - Environment**

| Acute hazards to the aquatic environment   | 84.6 %  |
|--|---------|
| Chronic hazards to the aquatic environment | 97.17 % |

#### Label Elements



Hazard Symbol:

| Signal Word:                                  | Danger   |
|---|--|
| Hazard Statement:                             | May cause allergy or asthma symptoms or breathing difficulties if inhaled.<br>May cause cancer.<br>May damage fertility or the unborn child.<br>Very toxic to aquatic life.  |
| Precautionary<br>Statements                   |  |
| Prevention:                                   | Avoid breathing dust/fume/gas/mist/vapors/spray. [In case of inadequate ventilation] wear respiratory protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment. |
| Response:                                     | IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor/ IF exposed or concerned: Get medical advice/attention. Collect spillage.  |
| Storage:                                      | Store locked up.   |
| Disposal:                                     | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.   |
| Hazard(s) not otherwise<br>classified (HNOC): | None.  |

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity

CAS number

Content in percent (%)\*



|  | 474 04 4   |           |
|--|------------|-----------|
| Calcium carbonate                        | 471-34-1   | 20 - <50% |
| Butyl benzyl phthalate                   | 85-68-7    | 5 - <10%  |
| Calcium oxide                            | 1305-78-8  | 1 - <5%   |
| Diisodecyl phthalate                     | 26761-40-0 | 1 - <5%   |
| Vinyltrimethoxysilane                    | 2768-02-7  | 1 - <5%   |
| Hexamethyldisilazane                     | 999-97-3   | 1 - <5%   |
| Stearic acid                             | 57-11-4    | 0.1 - <1% |
| Tosyl isocyanate                         | 4083-64-1  | 0.1 - <1% |
| Hydrotreated heavy naphthenic distillate | 64742-52-5 | 0.1 - <1% |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

| 4. First-aid measures  |   |  |  |
|--|---|--|--|
| Ingestion:   | Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  |  |  |
| Inhalation:  | Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. Move to fresh air. If breathing is difficult, give oxygen.           |  |  |
| Skin Contact:  | Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.  |  |  |
| Eye contact:   | Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. |  |  |
| Most important symptoms/effec  | ts, acute and delayed   |  |  |
| Symptoms:  | May cause skin and eye irritation.  |  |  |
| Indication of immediate medical attention and special treatment needed |   |  |  |
| Treatment:   | Symptoms may be delayed.  |  |  |
| 5. Fire-fighting measures  |   |  |  |
| General Fire Hazards:  | No unusual fire or explosion hazards noted.   |  |  |
| Suitable (and unsuitable) exting                                       | uishing media   |  |  |
| Suitable extinguishing media:  | Use fire-extinguishing media appropriate for surrounding materials.   |  |  |
| Unsuitable extinguishing media:  | Do not use water jet as an extinguisher, as this will spread the fire.  |  |  |
| Specific hazards arising from the chemical:                            | During fire, gases hazardous to health may be formed.   |  |  |
| Special protective equipment a   | nd propositions for firefighters  |  |  |

Special protective equipment and precautions for firefighters



| Special fire fighting<br>procedures:                                       | No data available.  |
|--|---|
| Special protective equipment for fire-fighters:                            | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |
| 6. Accidental release measures   | s   |
| Personal precautions,<br>protective equipment and<br>emergency procedures: | Ventilate closed spaces before entering them. Evacuate area. See Section 8 of the SDS for Personal Protective Equipment. Keep upwind. Keep unauthorized personnel away.   |
| Methods and material for<br>containment and cleaning<br>up:                | Collect spillage in containers, seal securely and deliver for disposal according to local regulations.  |
| Notification Procedures:   | In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.   |
| Environmental Precautions:   | Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.  |
| 7. Handling and storage  |   |
| Precautions for safe handling:   | Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. |
| Conditions for safe storage,<br>including any<br>incompatibilities:        | Store locked up.  |

## 8. Exposure controls/personal protection

#### **Control Parameters**

#### **Occupational Exposure Limits**

| Chemical Identity  | Туре | Exposure Limit Values | Source   |
|--|------|-----------------------|--|
| Calcium carbonate - Total dust.                                      | PEL  | 15 mg/m3              | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium carbonate -<br>Respirable fraction.                          | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium oxide  | TWA  | 2 mg/m3               | US. ACGIH Threshold Limit Values (2011)  |
|  | PEL  | 5 mg/m3               | US. OSHA Table Z-1 Limits for Air<br>Contaminants (29 CFR 1910.1000) (02 2006) |
| Stearic acid - Respirable<br>fraction.                               | TWA  | 3 mg/m3               | US. ACGIH Threshold Limit Values (03 2017)                                     |
| Stearic acid - Inhalable<br>fraction.                                | TWA  | 10 mg/m3              | US. ACGIH Threshold Limit Values (03 2017)                                     |
| Hydrotreated heavy<br>naphthenic distillate -<br>Inhalable fraction. | TWA  | 5 mg/m3               | US. ACGIH Threshold Limit Values (03 2014)                                     |
| Hydrotreated heavy   | PEL  | 500 ppm 2,000 mg/m3   | US. OSHA Table Z-1 Limits for Air  |



| naphthenic distillate         |     |         | Contaminants (29 CFR 1910.1000) (02 2006) |
|-------------------------------|-----|---------|---|
| Hydrotreated heavy            | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air         |
| naphthenic distillate - Mist. |     |         | Contaminants (29 CFR 1910.1000) (02 2006) |

| Chemical name  | Туре | Exposure Limit Values | Source   |
|--|------|-----------------------|--|
| Calcium carbonate - Total<br>dust.                                   | STEL | 20 mg/m3              | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Calcium carbonate -<br>Respirable fraction.                          | TWA  | 3 mg/m3               | Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007)   |
| Calcium carbonate - Total<br>dust.                                   | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust.                                      | TWA  | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
| Calcium oxide  | TWA  | 2 mg/m3               | Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007)   |
| Calcium oxide  | TWA  | 2 mg/m3               | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (11 2010)  |
| Calcium oxide  | TWA  | 2 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
| Diisodecyl phthalate   | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (11 2010)  |
| Vinyltrimethoxysilane  | STEL | 10 ppm 60 mg/m3       | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (11 2010)  |
| Hydrotreated heavy<br>naphthenic distillate - Mist.                  | TWA  | 0.2 mg/m3             | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013) |
|  | TWA  | 1 mg/m3               | Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013)   |
| Hydrotreated heavy<br>naphthenic distillate -<br>Inhalable fraction. | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (06 2015)  |
|  | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
| Hydrotreated heavy naphthenic distillate - Mist.                     | STEL | 10 mg/m3              | Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|  | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |



----

-

-

| Chemical name  | Туре | Exposure Limit Values | Source   |
|--|------|-----------------------|--|
| Calcium carbonate - Total<br>dust.                                   | STEL | 20 mg/m3              | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Calcium carbonate -<br>Respirable fraction.                          | TWA  | 3 mg/m3               | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Calcium carbonate - Total<br>dust.                                   | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust.                                      | TWA  | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
| Calcium oxide  | TWA  | 2 mg/m3               | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Calcium oxide  | TWA  | 2 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)   |
| Calcium oxide  | TWA  | 2 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
| Diisodecyl phthalate   | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)   |
| Vinyltrimethoxysilane  | STEL | 10 ppm 60 mg/m3       | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)   |
| Stearic acid   | TWA  | 10 mg/m3              | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Stearic acid   | TWA  | 10 mg/m3              | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)   |
| Hydrotreated heavy<br>naphthenic distillate - Mist.                  | TWA  | 0.2 mg/m3             | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013) |
|  | TWA  | 1 mg/m3               | Canada. British Columbia OELs. (Occupational<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013) |
| Hydrotreated heavy<br>naphthenic distillate -<br>Inhalable fraction. | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (06 2015)  |
|  | TWA  | 5 mg/m3               | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)   |
| Hydrotreated heavy<br>naphthenic distillate - Mist.                  | STEL | 10 mg/m3              | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |
|  | TWA  | 5 mg/m3               | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)   |



| Polyethylene - Respirable fraction. | TWA  |         | 3 mg/m3   | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013) |
|-------------------------------------|------|---------|-----------|---|
| Polyethylene - Total dust.          | TWA  |         | 10 mg/m3  | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (05 2013) |
| Polyethylene - Inhalable fraction.  | TWA  |         | 10 mg/m3  | Canada. Ontario OELs. (Control of Exposure t<br>Biological or Chemical Agents) (06 2015)  |
| Polyethylene - Respirable fraction. | TWA  |         | 3 mg/m3   | Canada. Ontario OELs. (Control of Exposure t<br>Biological or Chemical Agents) (06 2015)  |
| Polyethylene - Total dust.          | TWA  |         | 10 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Dibutyltin diacetate - as Sn        | STEL |         | 0.2 mg/m3 | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
|                                     | TWA  |         | 0.1 mg/m3 | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Dibutyltin diacetate - as Sn        | TWA  |         | 0.1 mg/m3 | Canada. Ontario OELs. (Control of Exposure t<br>Biological or Chemical Agents) (11 2010)  |
| Dibutyltin diacetate - as Sn        | TWA  |         | 0.1 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|                                     | STEL |         | 0.2 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Dibutyl phthalate                   | TWA  |         | 5 mg/m3   | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Dibutyl phthalate                   | TWA  |         | 5 mg/m3   | Canada. Ontario OELs. (Control of Exposure t<br>Biological or Chemical Agents) (11 2010)  |
| Dibutyl phthalate                   | TWA  |         | 5 mg/m3   | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Methanol                            | STEL | 250 ppm |           | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
|                                     | TWA  | 200 ppm |           | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Methanol                            | STEL | 250 ppm |           | Canada. Ontario OELs. (Control of Exposure t<br>Biological or Chemical Agents) (11 2010)  |
|                                     | TWA  | 200 ppm |           | Canada. Ontario OELs. (Control of Exposure t<br>Biological or Chemical Agents) (11 2010)  |
| Methanol                            | STEL | 250 ppm | 328 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|                                     | TWA  | 200 ppm | 262 mg/m3 | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |



| Cyclohexane   | TWA  | 100 ppm     |            | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
|---|------|-------------|------------|---|
| Cyclohexane   | TWA  | 100 ppm     |            | Canada. Ontario OELs. (Control of Exposure t<br>Biological or Chemical Agents) (11 2010)  |
| Cyclohexane   | TWA  | 300 ppm 1,0 | 030 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (12 2008)  |
| Toluene   | TWA  | 20 ppm      |            | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Toluene   | TWA  | 20 ppm      |            | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Toluene   | TWA  | 50 ppm - 7  | 188 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA  | 0.0         | 025 mg/m3  | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable<br>fraction. | TWA  | 0           | 0.10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (06 2015)   |
| Crystalline Silica (Quartz)/<br>Silica Sand - Respirable dust.        | TWA  |             | 0.1 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Dibutyl tin dilaurate - as Sn   | STEL |             | 0.2 mg/m3  | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
|   | TWA  |             | 0.1 mg/m3  | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Dibutyl tin dilaurate - as Sn   | TWA  |             | 0.1 mg/m3  | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (11 2010)   |
| Dibutyl tin dilaurate - as Sn   | STEL |             | 0.2 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|   | TWA  |             | 0.1 mg/m3  | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
| Acetic acid   | STEL | 15 ppm      |            | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
|   | TWA  | 10 ppm      |            | Canada. British Columbia OELs. (Occupationa<br>Exposure Limits for Chemical Substances,<br>Occupational Health and Safety Regulation<br>296/97, as amended) (07 2007) |
| Acetic acid   | STEL | 15 ppm      |            | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
|   | TWA  | 10 ppm      |            | Canada. Ontario OELs. (Control of Exposure to<br>Biological or Chemical Agents) (11 2010)   |
| Acetic acid   | TWA  | 10 ppm      | 25 mg/m3   | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |
|   | STEL | 15 ppm      | 37 mg/m3   | Canada. Quebec OELs. (Ministry of Labor -<br>Regulation Respecting the Quality of the Work<br>Environment) (09 2017)  |



| Appropriate Engineering<br>Controls | Mechanical ventilation or local exhaust ventilation may be required.<br>Observe good industrial hygiene practices. Observe occupational exposure<br>limits and minimize the risk of inhalation of dust.   |  |
|-------------------------------------|---|--|
| Individual protection measures, s   | uch as personal protective equipment  |  |
| General information:                | Good general ventilation (typically 10 air changes per hour) should be used.<br>Ventilation rates should be matched to conditions. Supplementary local<br>exhaust ventilation, closed systems, or respiratory and eye protection may<br>be needed in special circumstances, such as poorly ventilated spaces,<br>heating, evaporation of liquids from large surfaces, spraying of mists,<br>mechanical generation of dusts, drying of solids, etc.  |  |
| Eye/face protection:                | Wear safety glasses with side shields (or goggles).   |  |
| Skin Protection<br>Hand Protection: | Use suitable protective gloves if risk of skin contact.   |  |
| Other:                              | Wear suitable protective clothing.  |  |
| Respiratory Protection:             | If engineering controls do not maintain airborne concentrations below<br>recommended exposure limits (where applicable) or to an acceptable level<br>(in countries where exposure limits have not been established), an<br>approved respirator must be worn. Air-purifying respirator with an<br>appropriate, government approved (where applicable), air-purifying filter,<br>cartridge or canister. Contact health and safety professional or<br>manufacturer for specific information. |  |
| Hygiene measures:                   | Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.   |  |

## 9. Physical and chemical properties

| Appearance                               |                    |
|--|--------------------|
| Physical state:                          | solid              |
| Form:                                    | Paste              |
| Color:                                   | Off-white          |
| Odor:                                    | Mild sharp         |
| Odor threshold:                          | No data available. |
| pH:                                      | No data available. |
| Melting point/freezing point:            | No data available. |
| Initial boiling point and boiling range: | No data available. |
| Flash Point:                             | No data available. |
| Evaporation rate:                        | Slower than Ether  |
| Flammability (solid, gas):               | No                 |
| Upper/lower limit on flammability or ex  | plosive limits     |
| Flammability limit - upper (%):          | No data available. |
| Flammability limit - lower (%):          | No data available. |
| Explosive limit - upper (%):             | No data available. |



| Explosive limit - lower (%):             | No data available.  |
|--|---|
| Vapor pressure:                          | No data available.  |
| Vapor density:                           | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| Relative density:                        | 1.41  |
| Solubility(ies)                          |   |
| Solubility in water:                     | Practically Insoluble   |
| Solubility (other):                      | No data available.  |
| Partition coefficient (n-octanol/water): | No data available.  |
| Auto-ignition temperature:               | No data available.  |
| Decomposition temperature:               | No data available.  |
| Viscosity:                               | No data available.  |

## 10. Stability and reactivity

| Reactivity:                          | No data available.  |  |
|--------------------------------------|---|--|
| Chemical Stability:                  | Material is stable under normal conditions.   |  |
| Possibility of hazardous reactions:  | No data available.  |  |
| Conditions to avoid:                 | Avoid heat or contamination.  |  |
| Incompatible Materials:              | Alcohols. Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Strong bases. Water, moisture. |  |
| Hazardous Decomposition<br>Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.   |  |
|                                      |   |  |

## 11. Toxicological information

| Information on likely routes of exposure |   |      |  |
|--|---|------|--|
| Inhalation:                              | In high concentrations, vapors, fumes or mists may irritate nose, throat a mucus membranes. | nd   |  |
| Skin Contact:                            | May be harmful in contact with skin. Causes mild skin irritation.                           |      |  |
| Eye contact:                             | Eye contact is possible and should be avoided.  |      |  |
| Ingestion:                               | May be harmful if swallowed.  |      |  |
| Symptoms related to the physic           | al, chemical and toxicological characteristics  |      |  |
| Inhalation:                              | No data available.  |      |  |
| Skin Contact:                            | No data available.  |      |  |
| Eye contact:                             | No data available.  |      |  |
| Ingestion:                               | No data available.<br>10  | )/17 |  |



## Information on toxicological effects

| Oral<br>Product:  | ATEmix: 20,503.25 mg/kg   |
|---|---|
| Dermal<br>Product:  | ATEmix: 54,400.8 mg/kg  |
| Inhalation<br>Product:                                      | Not classified for acute toxicity based on available data.  |
| Repeated dose toxicity<br>Product:                          | No data available.  |
| Skin Corrosion/Irritation<br>Product:                       | No data available.  |
| Serious Eye Damage/Eye Irritati<br>Product:                 | on<br>No data available.  |
| Respiratory or Skin Sensitizatio<br>Product:                | <ul> <li>n<br/>May cause allergy or asthma symptoms or breathing difficulties if inhaled.<br/>May cause sensitization by inhalation.</li> </ul> |
| Carcinogenicity<br>Product:                                 | No data available.  |
| IARC Monographs on the Evaluation                           | ation of Carcinogenic Risks to Humans:  |
| Hydrotreated heavy naphthenic distillate                    | Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Carcinogenic to humans.                               |
|   | <b>m (NTP) Report on Carcinogens:</b><br>Known To Be Human Carcinogen.  |
| US. OSHA Specifically Regulate<br>No carcinogenic component | d Substances (29 CFR 1910.1001-1050):<br>s identified   |
| Germ Cell Mutagenicity                                      |   |
| In vitro<br>Product:  | No data available.  |
| In vivo<br>Product:   | No data available.  |
| Reproductive toxicity                                       | 11/17   |



| Product:                              | May damage fertility or the unborn child.               |  |
|---------------------------------------|---|--|
| Specific Target Organ Tox<br>Product: | <b>kicity - Single Exposure</b><br>No data available.   |  |
| Specific Target Organ To<br>Product:  | <b>kicity - Repeated Exposure</b><br>No data available. |  |
| Aspiration Hazard<br>Product:         | No data available.                                      |  |
| Other effects:                        | No data available.                                      |  |

## 12. Ecological information

#### Ecotoxicity:

| Acute hazards to the aquatic environment:                             |                          |  |
|---|--------------------------|--|
| Fish<br>Product:  | No data available.       |  |
| Aquatic Invertebrates<br>Product:                                     | No data available.       |  |
| Chronic hazards to the aquatic  | environment:             |  |
| Fish<br>Product:  | No data available.       |  |
| Aquatic Invertebrates<br>Product:                                     | No data available.       |  |
| Toxicity to Aquatic Plants<br>Product:                                | No data available.       |  |
| Persistence and Degradability   |                          |  |
| Biodegradation<br>Product:  | No data available.       |  |
| BOD/COD Ratio<br>Product:   | No data available.       |  |
| Bioaccumulative potential<br>Bioconcentration Factor (BCI<br>Product: | F)<br>No data available. |  |

Partition Coefficient n-octanol / water (log Kow)



| Product:                    | No data available.  |
|-----------------------------|---|
| Mobility in soil:           | No data available.  |
| Other adverse effects:      | Very toxic to aquatic organisms.  |
| 13. Disposal considerations |   |
| Disposal instructions:      | Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Contaminated Packaging:     | No data available.  |
| 14. Transport information   |   |

#### TDG:

Not Regulated

#### CFR / DOT:

Not Regulated

#### IMDG:

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Butyl Benzyl Phthalate), 9, PG III, MARINE POLLUTANT

#### **Further Information:**

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

#### 15. Regulatory information

#### **US Federal Regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

#### Chemical Identity

OSHA hazard(s)

Crystalline Silica (Quartz)/ Silica Sand kidney effects lung effects immune system effects Cancer



#### CERCLA Hazardous Substance List (40 CFR 302.4):

| Ch | emi           | cal | Ide | ntitv |
|----|---------------|-----|-----|-------|
|    | <b>C</b> 1111 | vui | 146 |       |

Butyl benzyl phthalate

## Reportable quantity 100 lbs.

| Dibutyl phthalate | 10 lbs.   |
|-------------------|-----------|
| Methanol          | 5000 lbs. |
| Cyclohexane       | 1000 lbs. |
| Toluene           | 1000 lbs. |
| Acetic acid       | 5000 lbs. |

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**

Delayed (Chronic) Health Hazard Respiratory or Skin Sensitization Carcinogenicity Reproductive toxicity

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

| Chemical Identity      | Reportable quantity |
|------------------------|---------------------|
| Butyl benzyl phthalate | 100 lbs.            |
| Diisodecyl phthalate   |                     |
| Dibutyl phthalate      | 10 lbs.             |
| Methanol               | 5000 lbs.           |
| Cyclohexane            | 1000 lbs.           |
| Toluene                | 1000 lbs.           |
| Acetic acid            | 5000 lbs.           |

#### SARA 311/312 Hazardous Chemical

# Chemical IdentityThreshold Planning QuantityCalcium carbonate10000 lbsButyl benzyl phthalate10000 lbs

| Duty Denzyi priti alate | 10000 103 |
|-------------------------|-----------|
| Calcium oxide           | 10000 lbs |
| Diisodecyl phthalate    | 10000 lbs |
| Vinyltrimethoxysilane   | 10000 lbs |
| Hexamethyldisilazane    | 10000 lbs |
| Stearic acid            | 10000 lbs |
| Tosyl isocyanate        | 10000 lbs |
| Hydrotreated heavy      | 10000 lbs |
| naphthenic distillate   |           |
|                         |           |

#### SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**





WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

#### US. New Jersey Worker and Community Right-to-Know Act

<u>Chemical Identity</u> Calcium carbonate Butyl benzyl phthalate Calcium oxide Hexamethyldisilazane Hydrotreated heavy naphthenic distillate

#### **US. Massachusetts RTK - Substance List**

#### **Chemical Identity**

Calcium carbonate Butyl benzyl phthalate Crystalline Silica (Quartz)/ Silica Sand

#### US. Pennsylvania RTK - Hazardous Substances

<u>Chemical Identity</u> Calcium carbonate Butyl benzyl phthalate Calcium oxide Diisodecyl phthalate

#### US. Rhode Island RTK

### Chemical Identity

Calcium carbonate

#### International regulations

#### Montreal protocol

Not applicable

#### Stockholm convention

Not applicable

#### Rotterdam convention

Not applicable

#### Kyoto protocol

Not applicable

#### VOC:

| Regulatory VOC (less water and exempt solvent) | : | 13 g/l |
|--|---|--------|
| VOC Method 310                                 | : | 0.93 % |



| Inventory Status:<br>Australia AICS:     | One or more components in this product are not listed on or exempt from the Inventory. |
|--|--|
| Canada DSL Inventory List:               | All components in this product are listed on or exempt from the Inventory.             |
| EINECS, ELINCS or NLP:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |
| Korea Existing Chemicals Inv. (KECI):    | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| US TSCA Inventory:                       | All components in this product are listed on or exempt from the Inventory.             |
| New Zealand Inventory of Chemicals:      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing:                      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing:             | One or more components in this product are not listed on or exempt from the Inventory. |
| Mexico INSQ:                             | One or more components in this product are not listed on or exempt from the Inventory. |
| Ontario Inventory:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| Taiwan Chemical Substance Inventory:     | One or more components in this product are not listed on or exempt from the Inventory. |



## 16.Other information, including date of preparation or last revision

| Revision Date:       | 11/30/2018   |
|----------------------|--|
| Version #:           | 2.1  |
| Further Information: | No data available.   |
| Disclaimer:          | For Industrial Use Only. Keep out of Reach of Children. The hazard<br>information herein is offered solely for the consideration of the user, subject<br>to their own investigation of compliance with applicable regulations, including<br>the safe use of the product under every foreseeable condition. |