

# SAFETY DATA SHEET

## 1. Identification

**Material name:** TREMSIL 400 WHITE - 15X600ML SAUS  
**Material:** 970806 385

### Recommended use and restriction on use

**Recommended use:** Sealant  
**Restrictions on use:** Not known.

### Manufacturer/Importer/Supplier/Distributor Information

Tremco U.S Sealants  
3735 Green Road  
Beachwood OH 44122  
US

**Contact person:** EH&S Department  
**Telephone:** 216-292-5000  
**Emergency telephone number:** 1-800-424-9300 (US); 1-613-996-6666 (Canada)

## 2. Hazard(s) identification

### Hazard Classification

#### Health Hazards

|                       |            |
|-----------------------|------------|
| Carcinogenicity       | Category 2 |
| Toxic to reproduction | Category 2 |

#### Unknown toxicity - Health

|  |         |
|--|---------|
| Acute toxicity, oral                     | 21.41 % |
| Acute toxicity, dermal                   | 24.25 % |
| Acute toxicity, inhalation, vapor        | 99.95 % |
| Acute toxicity, inhalation, dust or mist | 99.68 % |

### Label Elements

#### Hazard Symbol:



**Signal Word:** Warning

**Hazard Statement:** Suspected of causing cancer.  
Suspected of damaging fertility or the unborn child.

## Precautionary Statements

- Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.
- Response:** IF exposed or concerned: Get medical advice/attention.
- Storage:** Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Hazard(s) not otherwise classified (HNOC):** None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical Identity             | CAS number | Content in percent (%)* |
|-------------------------------|------------|-------------------------|
| Calcium carbonate             | 471-34-1   | 30 - 60%                |
| Calcium Carbonate (Limestone) | 1317-65-3  | 10 - 30%                |
| Titanium dioxide              | 13463-67-7 | 1 - 5%                  |
| Stearic acid                  | 57-11-4    | 1 - 5%                  |
| Octamethylcyclotetrasiloxane  | 556-67-2   | 0.1 - 1%                |
| Aluminum oxide                | 1344-28-1  | 0.1 - 1%                |

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

- Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
- Inhalation:** Move to fresh air.
- Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
- Eye contact:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.

### Most important symptoms/effects, acute and delayed

**Symptoms:** May cause skin and eye irritation.

### Indication of immediate medical attention and special treatment needed

**Treatment:** Symptoms may be delayed.

**5. Fire-fighting measures**

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** No data available.

**Methods and material for containment and cleaning up:** Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

**7. Handling and storage**

**Precautions for safe handling:** Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

**Conditions for safe storage, including any incompatibilities:** Store locked up.

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

| Chemical Identity                                    | Type | Exposure Limit Values                          | Source  |
|--|------|--|---|
| Calcium carbonate - Total dust.                      | PEL  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium carbonate - Respirable fraction.             | PEL  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium Carbonate (Limestone) - Total dust.          | PEL  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Calcium Carbonate (Limestone) - Respirable fraction. | PEL  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Titanium dioxide                                     | TWA  | 10 mg/m <sup>3</sup>                           | US. ACGIH Threshold Limit Values (2011)                                     |
| Titanium dioxide - Total dust.                       | PEL  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Titanium dioxide - Respirable fraction.              | TWA  | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |
| Titanium dioxide - Total dust.                       | TWA  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |
| Titanium dioxide - Respirable fraction.              | TWA  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |
| Titanium dioxide - Total dust.                       | TWA  | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |
| Stearic acid - Respirable fraction.                  | TWA  | 3 mg/m <sup>3</sup>                            | US. ACGIH Threshold Limit Values (03 2017)                                  |
| Stearic acid - Inhalable fraction.                   | TWA  | 10 mg/m <sup>3</sup>                           | US. ACGIH Threshold Limit Values (03 2017)                                  |
| Aluminum oxide - Respirable fraction.                | TWA  | 1 mg/m <sup>3</sup>                            | US. ACGIH Threshold Limit Values (2011)                                     |
|  | PEL  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Aluminum oxide - Total dust.                         | PEL  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
|  | TWA  | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |
| Aluminum oxide - Respirable fraction.                | TWA  | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |
|  | TWA  | 5 mg/m <sup>3</sup>                            | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |
| Aluminum oxide - Total dust.                         | TWA  | 15 mg/m <sup>3</sup>                           | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016)                             |

| Chemical name  | Type | Exposure Limit Values | Source  |
|--|------|-----------------------|---|
| Calcium carbonate - Total dust.                      | STEL | 20 mg/m <sup>3</sup>  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Respirable fraction.             | TWA  | 3 mg/m <sup>3</sup>   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust.                      | TWA  | 10 mg/m <sup>3</sup>  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium carbonate - Total dust.                      | TWA  | 10 mg/m <sup>3</sup>  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Calcium Carbonate (Limestone) - Total dust.          | STEL | 20 mg/m <sup>3</sup>  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|  | TWA  | 10 mg/m <sup>3</sup>  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium Carbonate (Limestone) - Respirable fraction. | TWA  | 3 mg/m <sup>3</sup>   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Calcium Carbonate (Limestone) - Total dust.          | TWA  | 10 mg/m <sup>3</sup>  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Titanium dioxide - Total dust.                       | TWA  | 10 mg/m <sup>3</sup>  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide - Respirable fraction.              | TWA  | 3 mg/m <sup>3</sup>   | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide                                     | TWA  | 10 mg/m <sup>3</sup>  | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |
| Titanium dioxide - Total dust.                       | TWA  | 10 mg/m <sup>3</sup>  | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  |
| Stearic acid   | TWA  | 10 mg/m <sup>3</sup>  | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Stearic acid   | TWA  | 10 mg/m <sup>3</sup>  | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)  |

**Appropriate Engineering Controls**

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.

## Individual protection measures, such as personal protective equipment

|                                |   |
|--------------------------------|---|
| <b>General information:</b>    | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc. |
| <b>Eye/face protection:</b>    | Wear safety glasses with side shields (or goggles).   |
| <b>Skin Protection</b>         |   |
| <b>Hand Protection:</b>        | Use suitable protective gloves if risk of skin contact.   |
| <b>Other:</b>                  | Wear suitable protective clothing.  |
| <b>Respiratory Protection:</b> | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.   |
| <b>Hygiene measures:</b>       | Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.   |

|  |
|--|
| <h2>9. Physical and chemical properties</h2> |
|--|

### Appearance

|   |                    |
|---|--------------------|
| <b>Physical state:</b>                          | solid              |
| <b>Form:</b>                                    | Paste              |
| <b>Color:</b>                                   | White              |
| <b>Odor:</b>                                    | Mild sharp         |
| <b>Odor threshold:</b>                          | No data available. |
| <b>pH:</b>                                      | No data available. |
| <b>Melting point/freezing point:</b>            | No data available. |
| <b>Initial boiling point and boiling range:</b> | No data available. |
| <b>Flash Point:</b>                             | No data available. |
| <b>Evaporation rate:</b>                        | Slower than Ether  |
| <b>Flammability (solid, gas):</b>               | No                 |

### Upper/lower limit on flammability or explosive limits

|  |   |
|--|---|
| <b>Flammability limit - upper (%):</b> | No data available.  |
| <b>Flammability limit - lower (%):</b> | No data available.  |
| <b>Explosive limit - upper (%):</b>    | No data available.  |
| <b>Explosive limit - lower (%):</b>    | No data available.  |
| <b>Vapor pressure:</b>                 | No data available.  |
| <b>Vapor density:</b>                  | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| <b>Relative density:</b>               | 1.43  |
| <b>Solubility(ies)</b>                 |   |
| <b>Solubility in water:</b>            | Practically Insoluble   |

---

|   |                    |
|---|--------------------|
| <b>Solubility (other):</b>                      | No data available. |
| <b>Partition coefficient (n-octanol/water):</b> | No data available. |
| <b>Auto-ignition temperature:</b>               | No data available. |
| <b>Decomposition temperature:</b>               | No data available. |
| <b>Viscosity:</b>                               | No data available. |

**10. Stability and reactivity**

|  |   |
|--|---|
| <b>Reactivity:</b>                         | No data available.  |
| <b>Chemical Stability:</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions:</b> | No data available.  |
| <b>Conditions to avoid:</b>                | Avoid heat or contamination.  |
| <b>Incompatible Materials:</b>             | Alcohols. Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Strong bases. Water, moisture. |
| <b>Hazardous Decomposition Products:</b>   | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.   |

**11. Toxicological information****Information on likely routes of exposure**

|                      |   |
|----------------------|---|
| <b>Inhalation:</b>   | In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. |
| <b>Skin Contact:</b> | May be harmful in contact with skin. Causes mild skin irritation.                             |
| <b>Eye contact:</b>  | Eye contact is possible and should be avoided.  |
| <b>Ingestion:</b>    | May be ingested by accident. Ingestion may cause irritation and malaise.                      |

**Symptoms related to the physical, chemical and toxicological characteristics**

|                      |                    |
|----------------------|--------------------|
| <b>Inhalation:</b>   | No data available. |
| <b>Skin Contact:</b> | No data available. |
| <b>Eye contact:</b>  | No data available. |
| <b>Ingestion:</b>    | No data available. |

**Information on toxicological effects****Acute toxicity (list all possible routes of exposure)**

|                      |                         |
|----------------------|-------------------------|
| <b>Oral Product:</b> | ATEmix: 31,529.42 mg/kg |
|----------------------|-------------------------|

**Dermal**  
**Product:** ATEmix: 3,955.98 mg/kg

**Inhalation**  
**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s):**  
Titanium dioxide LC 50 (Rat): 3.43 mg/l

Octamethylcyclotetrasiloxane LC 50 (Rat): 36 mg/l

Aluminum oxide LC 50 (Rat): 7.6 mg/l

**Repeated dose toxicity**  
**Product:** No data available.

**Skin Corrosion/Irritation**  
**Product:** No data available.

**Specified substance(s):**  
Calcium carbonate in vivo (Rabbit): Not irritant Experimental result, Key study  
Titanium dioxide in vivo (Rabbit): Not irritant Experimental result, Supporting study  
Stearic acid in vivo (Rabbit): Not irritant Experimental result, Key study  
Octamethylcyclotetrasiloxane in vivo (Rabbit): Not irritant Experimental result, Key study  
Aluminum oxide in vivo (Rabbit): Not irritant Experimental result, Key study

**Serious Eye Damage/Eye Irritation**  
**Product:** No data available.

**Specified substance(s):**  
Calcium carbonate Rabbit, 24 - 72 hrs: Not irritating  
Titanium dioxide Rabbit, 24 hrs: Not irritating  
Stearic acid Rabbit, 27 - 72 hrs: Not irritating  
Aluminum oxide Rabbit, 24 hrs: Not irritating

**Respiratory or Skin Sensitization**  
**Product:** No data available.



**Carcinogenicity****Product:** Suspected of causing cancer.**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

Titanium dioxide Overall evaluation: Possibly carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):**

No carcinogenic components identified

**Germ Cell Mutagenicity****In vitro****Product:** No data available.**In vivo****Product:** No data available.**Reproductive toxicity****Product:** Suspected of damaging fertility or the unborn child.**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Specific Target Organ Toxicity - Repeated Exposure****Product:** No data available.**Aspiration Hazard****Product:** No data available.**Other effects:** No data available.**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.

**Aquatic Invertebrates****Product:** No data available.**Specified substance(s):**Titanium dioxide EC 50 (Water flea (*Daphnia magna*), 48 h): > 1,000 mg/l Intoxication**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** No data available.**BOD/COD Ratio****Product:** No data available.**Bioaccumulative potential****Bioconcentration Factor (BCF)****Product:** No data available.**Specified substance(s):**Octamethylcyclotetrasiloxane Fathead minnow (*Pimephales promelas*), Bioconcentration Factor (BCF): 14,261 (Flow through)**Partition Coefficient n-octanol / water (log Kow)****Product:** No data available.**Specified substance(s):**

Stearic acid Log Kow: 8.23

**Mobility in soil:** No data available.**Other adverse effects:** No data available.**13. Disposal considerations**

**Disposal instructions:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Contaminated Packaging:** No data available.

## 14. Transport information

**TDG:**

Not Regulated

**CFR / DOT:**

Not Regulated

**IMDG:**

Not Regulated

## 15. Regulatory information

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Cyclohexane              | 1000 lbs.                  |
| Methanol                 | 5000 lbs.                  |

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Delayed (Chronic) Health Hazard

**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

**SARA 304 Emergency Release Notification**

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|--------------------------|----------------------------|
| Cyclohexane              | 1000 lbs.                  |
| Methanol                 | 5000 lbs.                  |

## SARA 311/312 Hazardous Chemical

| <u>Chemical Identity</u>         | <u>Threshold Planning Quantity</u> |
|----------------------------------|------------------------------------|
| Calcium carbonate                | 10000 lbs                          |
| Calcium Carbonate<br>(Limestone) | 10000 lbs                          |
| Titanium dioxide                 | 10000 lbs                          |
| Stearic acid                     | 10000 lbs                          |
| Octamethylcyclotetrasiloxane     | 10000 lbs                          |
| Aluminum oxide                   | 10000 lbs                          |

## SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None present or none present in regulated quantities.

## Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

## US State Regulations

### US. California Proposition 65



#### WARNING

Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### US. New Jersey Worker and Community Right-to-Know Act

| <u>Chemical Identity</u>      |
|-------------------------------|
| Calcium carbonate             |
| Calcium Carbonate (Limestone) |
| Titanium dioxide              |

### US. Massachusetts RTK - Substance List

| <u>Chemical Identity</u>                 |
|--|
| Calcium carbonate                        |
| Calcium Carbonate (Limestone)            |
| Titanium dioxide                         |
| Crystalline Silica (Quartz)/ Silica Sand |

### US. Pennsylvania RTK - Hazardous Substances

| <u>Chemical Identity</u>      |
|-------------------------------|
| Calcium carbonate             |
| Calcium Carbonate (Limestone) |
| Titanium dioxide              |

### US. Rhode Island RTK

| <u>Chemical Identity</u>      |
|-------------------------------|
| Calcium carbonate             |
| Calcium Carbonate (Limestone) |
| Titanium dioxide              |

## International regulations

**Montreal protocol**

Not applicable

**Stockholm convention**

Not applicable

**Rotterdam convention**

Not applicable

**Kyoto protocol**

Not applicable

**VOC:**

Regulatory VOC (less water and  
exempt solvent) : 30 g/l

VOC Method 310 : 2.08 %

**Inventory Status:**

|  |  |
|--|--|
| Australia AICS:                          | One or more components in this product are not listed on or exempt from the Inventory. |
| EINECS, ELINCS or NLP:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |
| Korea Existing Chemicals Inv. (KECI):    | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory:                   | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS:                       | One or more components in this product are not listed on or exempt from the Inventory. |
| New Zealand Inventory of Chemicals:      | All components in this product are listed on or exempt from the Inventory.             |
| Japan ISHL Listing:                      | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing:             | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada DSL Inventory List:               | All components in this product are listed on or exempt from the Inventory.             |
| US TSCA Inventory:                       | All components in this product are listed on or exempt from the Inventory.             |

**16. Other information, including date of preparation or last revision**

|                             |                    |
|-----------------------------|--------------------|
| <b>Revision Date:</b>       | 11/30/2018         |
| <b>Version #:</b>           | 1.2                |
| <b>Further Information:</b> | No data available. |

**Disclaimer:**

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

