

SAFETY DATA SHEET

1. Identification

Material name: UNIVERSAL C/P LIMESTONE Material: 015105 529

Recommended use and restriction on use

Recommended use: Colorant Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Tremco U.S Sealants 3735 Green Road Beachwood OH 44122 US

Contact person: Telephone: Emergency telephone number: EH&S Department 216-292-5000 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards

| Acute toxicity (Inhalation - dust and mist) | Category 4 |
|---------------------------------------------|------------|
| Carcinogenicity | Category 2 |

Unknown toxicity - Health

| Acute toxicity, oral | 0.057 % |
|------------------------------------------|---------|
| Acute toxicity, dermal | 70.4 % |
| Acute toxicity, inhalation, vapor | 100 % |
| Acute toxicity, inhalation, dust or mist | 96.55 % |

Environmental Hazards

| Acute hazards to the aquatic environment | Category 1 |
|------------------------------------------|------------|
| Unknown toxicity - Environment | |

Acute hazards to the aquatic 8.85 % environment

| Chronic hazards to the aquatic | 100 % |
|--------------------------------|-------|
| environment | |

Label Elements

Hazard Symbol:



| Signal Word: | Warning |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard Statement: | Harmful if inhaled. Suspected of causing cancer. Very toxic to aquatic life. |
| Precautionary Statements | |
| Prevention: | Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment. |
| Response: | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Collect spillage. |
| Storage: | Store locked up. |
| Disposal: | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Hazard(s) not otherwise classified (HNOC): | None. |

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|----------------------|------------|-------------------------|
| Titanium dioxide | 13463-67-7 | 50 - <100% |
| Diisodecyl phthalate | 26761-40-0 | 25 - <50% |
| Aluminum oxide | 1344-28-1 | 1 - <5% |
| Zirconium dioxide | 1314-23-4 | 0.1 - <1% |
| Amorphous silica | 7631-86-9 | 0.1 - <1% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:

Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Inhalation:

Move to fresh air.



| Skin Contact: | Wash skin thoroughly with soap and water. Get medical attention if symptoms occur. | |
|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Eye contact: | Any material that contacts the eye should be washed out immediately wind water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. | th |
| Most important symptoms/effect | s, acute and delayed | |
| Symptoms: | May cause skin and eye irritation. | |
| Indication of immediate medical a | ttention and special treatment needed | |
| Treatment: | Symptoms may be delayed. | |
| 5. Fire-fighting measures | | |
| General Fire Hazards: | No unusual fire or explosion hazards noted. | |
| Suitable (and unsuitable) exting | uishing media | |
| Suitable extinguishing media: | Use fire-extinguishing media appropriate for surrounding materials. | |
| Unsuitable extinguishing media: | Do not use water jet as an extinguisher, as this will spread the fire. | |
| Specific hazards arising from the chemical: | During fire, gases hazardous to health may be formed. | |
| Special protective equipment an | d precautions for firefighters | |
| Special fire fighting procedures: | No data available. | |
| Special protective equipment for fire-fighters: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | |
| 6. Accidental release measure | S | |
| Personal precautions, protective equipment and emergency procedures: | No data available. | |
| Methods and material for containment and cleaning up: | Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. | |
| Notification Procedures: | In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. | |
| Environmental Precautions: | Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment. | |
| | 3 | 3/16 |



7. Handling and storage


| Precautions for safe handling: | Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conditions for safe storage, including any incompatibilities: | Store locked up. |

8. Exposure controls/personal protection

Control Parameters


Occupational Exposure Limits

| Chemical Identity | Туре | Exposure Limit Values | Source |
|-----------------------------------------|------|---------------------------------------------------------|--------------------------------------------------------------------------------|
| Titanium dioxide | TWA | 10 mg/m3 | US. ACGIH Threshold Limit Values (2011) |
| Titanium dioxide - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Titanium dioxide - Respirable fraction. | TWA | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Titanium dioxide - Total dust. | TWA | 15 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Titanium dioxide - Respirable fraction. | TWA | 5 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Titanium dioxide - Total dust. | TWA | 50 millions of particles per cubic foot of air | US. ÓSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Aluminum oxide - Respirable fraction. | TWA | 1 mg/m3 | US. ACGIH Threshold Limit Values (2011) |
| | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Aluminum oxide - Total dust. | PEL | 15 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 50 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Aluminum oxide - Respirable fraction. | TWA | 15 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| | TWA | 5 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Aluminum oxide - Total dust. | TWA | 15 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (03 2016) |
| Zirconium dioxide - as Zr | STEL | 10 mg/m3 | US. ACGIH Threshold Limit Values (2011) |
| | TWA | 5 mg/m3 | US. ACGIH Threshold Limit Values (2011) |
| | PEL | 5 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| Amorphous silica | TWA | 20 millions of particles per cubic foot of air | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |
| | TWA | 0.8 mg/m3 | US. OSHA Table Z-3 (29 CFR 1910.1000) (2000) |





| Chemical name | Туре | Exposure Limit Values | Source |
|-----------------------------------------|------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupationa Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupation: Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure Biological or Chemical Agents) (11 2010) |
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Wor Environment) (09 2017) |
| Diisodecyl phthalate | TWA | 5 mg/m3 | Canada. Ontario OELs. (Control of Exposure Biological or Chemical Agents) (11 2010) |
| Aluminum oxide - Respirable. | TWA | 1 mg/m3 | Canada. British Columbia OELs. (Occupation Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Aluminum oxide - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupation Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Aluminum oxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupation Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Aluminum oxide - Respirable fraction. | TWA | 1 mg/m3 | Canada. Ontario OELs. (Control of Exposure Biological or Chemical Agents) (11 2010) |
| Aluminum oxide - Inhalable fraction. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure Biological or Chemical Agents) (06 2015) |
| Aluminum oxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure Biological or Chemical Agents) (06 2015) |
| Aluminum oxide - Total dust. - as Al | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Wor Environment) (09 2017) |





E

| Chemical name | Туре | Exposure Limit Values | Source |
|------------------------------------------|------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Titanium dioxide | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Titanium dioxide - Total dust. | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017) |
| Diisodecyl phthalate | TWA | 5 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Aluminum oxide - Respirable. | TWA | 1 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Aluminum oxide - Total dust. | TWA | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Aluminum oxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013) |
| Aluminum oxide - Respirable fraction. | TWA | 1 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Aluminum oxide - Inhalable fraction. | TWA | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015) |
| Aluminum oxide - Respirable fraction. | TWA | 3 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015) |
| Aluminum oxide - Total dust. - as Al | TWA | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017) |
| Zirconium dioxide - as Zr | STEL | 10 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| | TWA | 5 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Zirconium dioxide - as Zr | TWA | 5 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| | STEL | 10 mg/m3 | Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010) |
| Zirconium dioxide - as Zr | TWA | 5 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017) |
| | STEL | 10 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017) |



| Amorphous silica - Total | TWA | 4 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
|----------------------------------------|-----|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Amorphous silica - Respirable. | TWA | 1.5 mg/m3 | Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007) |
| Amorphous silica - Respirable dust. | TWA | 6 mg/m3 | Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017) |

Appropriate Engineering
ControlsObserve good industrial hygiene practices. Observe occupational exposure
limits and minimize the risk of inhalation of vapors and mist. Mechanical
ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

| General information: | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc. |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/face protection: | Wear safety glasses with side shields (or goggles). |
| Skin Protection Hand Protection: | Use suitable protective gloves if risk of skin contact. |
| Other: | Wear suitable protective clothing. |
| Respiratory Protection: | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. |
| Hygiene measures: | Observe good industrial hygiene practices. Wash hands before breaks and immediately after handling the product. |

9. Physical and chemical properties

| Appearance | |
|----------------------------------------------|-------------------------------------|
| Physical state: | liquid |
| Form: | Paste |
| Color: | Gray |
| Odor: | Mild |
| Odor threshold: | No data available. |
| pH: | No data available. |
| Melting point/freezing point: | No data available. |
| Initial boiling point and boiling range: | No data available. |
| Flash Point: | 232 °C 450 °F(Setaflash Closed Cup) |
| Evaporation rate: | Slower than Ether |
| Flammability (solid, gas): | No |
| Upper/lower limit on flammability or explose | sive limits |



| Flammability limit - upper (%): | No data available. |
|------------------------------------------|---------------------------------------------------------------------------------------------|
| Flammability limit - lower (%): | No data available. |
| Explosive limit - upper (%): | No data available. |
| Explosive limit - lower (%): | No data available. |
| Vapor pressure: | No data available. |
| Vapor density: | Vapors are heavier than air and may travel along the floor and in the bottom of containers. |
| Relative density: | 2.9 |
| Solubility(ies) | |
| Solubility in water: | Practically Insoluble |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | No data available. |
| Auto-ignition temperature: | No data available. |
| Decomposition temperature: | No data available. |
| Viscosity: | No data available. |

10. Stability and reactivity

| Reactivity: | No data available. |
|--------------------------------------|-------------------------------------------------------------------------------------------------|
| Chemical Stability: | Material is stable under normal conditions. |
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). |
| Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

11. Toxicological information

| Information on likely routes of e Inhalation: | Exposure In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes. | |
|------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--|
| Skin Contact: | May be harmful in contact with skin. | |
| Eye contact: | Eye contact is possible and should be avoided. | |
| Ingestion: | May be ingested by accident. Ingestion may cause irritation and malaise. | |
| Symptoms related to the physical, chemical and toxicological characteristics | | |
| Inhalation: | No data available. | |
| Skin Contact: | No data available. | |
| | 8/16 | |



| Eye contact: | No data available. |
|--------------|--------------------|
|--------------|--------------------|

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

| Oral Product: | Not classified for acute toxicity based on available data. |
|----------------------------------------------------|------------------------------------------------------------|
| Specified substance(s): Titanium dioxide | LD 50 (Rat): > 5,000 mg/kg |
| Diisodecyl phthalate | LD 50 (Rat): 64,000 mg/kg |
| Aluminum oxide | LD 50 (Rat): > 10,000 mg/kg |
| Zirconium dioxide | LD 50 (Rat): > 5,000 mg/kg |
| Amorphous silica | LD 50 (Rat): > 5,000 mg/kg |
| Dermal Product: | Not classified for acute toxicity based on available data. |
| Specified substance(s): Diisodecyl phthalate | LD 50 (Rabbit): > 3,160 mg/kg |
| Amorphous silica | LD 50 (Rabbit): > 2,000 mg/kg |
| Inhalation Product: | ATEmix: 1.9 mg/l |
| Repeated dose toxicity Product: | No data available. |
| Skin Corrosion/Irritation Product: | No data available. |

Specified substance(s):



| Titanium dioxide | in vivo (Rabbit): Not irritant Experimental result, Supporting study |
|------------------|----------------------------------------------------------------------|
| Aluminum oxide | in vivo (Rabbit): Not irritant Experimental result, Key study |
| Amorphous silica | in vivo (Rabbit): Not irritant Experimental result, Key study |

Serious Eye Damage/Eye Irritation

Product: No data available. Specified substance(s):

| Titanium dioxide | Rabbit, 24 hrs: Not irritating |
|-------------------|--------------------------------|
| Aluminum oxide | Rabbit, 24 hrs: Not irritating |
| Zirconium dioxide | Rabbit, 24 hrs: Not irritating |
| Amorphous silica | Rabbit, 24 hrs: Not irritating |

Respiratory or Skin Sensitization Product: N

No data available.

| Carcinogenicity | |
|-----------------|--|
| Product: | |

Suspected of causing cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Titanium dioxide Overall evaluation: Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified

Germ Cell Mutagenicity

In vitro Product:

No data available.

In vivo Product:

No data available.

Reproductive toxicity Product:

No data available.

Specific Target Organ Toxicity - Single Exposure Product: No data available.



| Specific Target Organ | Toxicity - Repeated Exposure |
|-----------------------|------------------------------|
| Product: | No data available. |

Aspiration Hazard Product: No data available.

Other effects:

No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

| Fish Product: | No data available. |
|-------------------------------------------------|---------------------------------------------------------------------------|
| Specified substance(s): Diisodecyl phthalate | LC 50 (Fathead minnow (Pimephales promelas), 96 h): > 0.47 mg/l Mortality |
| Aquatic Invertebrates Product: | No data available. |
| Specified substance(s): Titanium dioxide | EC 50 (Water flea (Daphnia magna), 48 h): > 1,000 mg/l Intoxication |
| Diisodecyl phthalate | EC 50 (Opossum shrimp (Americamysis bahia), 96 h): > 0.08 mg/l Mortality |
| Chronic hazards to the aquatic environment: | |
| Fish Product: | No data available. |

| Aquatic Invertebrates | |
|-----------------------|--------------------|
| Product: | No data available. |
| | |

Toxicity to Aquatic Plants
Product:No data available.

Persistence and Degradability

| Biodegradation | |
|----------------|--------------------|
| Product: | No data available. |



| BOD/COD Ratio Product: | No data available. |
|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bioaccumulative potential Bioconcentration Factor (Bo Product: | CF) No data available. |
| Partition Coefficient n-octanol / v Product: | water (log Kow) No data available. |
| Mobility in soil: | No data available. |
| Other adverse effects: | Very toxic to aquatic organisms. |
| 13. Disposal considerations | |
| Disposal instructions: | Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |
| Contaminated Packaging: | No data available. |
| 14. Transport information | |
| TDG: | |
| Not Regulated | |
| CFR / DOT: | |
| Not Regulated | |
| IMDG: | |
| Not Regulated | |
| 15. Regulatory information | |
| US Federal Regulations | |

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.



CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity Reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard Acute toxicity (any route or exposure) Carcinogenicity

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

Chemical IdentityRDiisodecyl phthalateDiisodecyl phthalateDiisodecylphthalate(mixed Is)Diisodecyl

Reportable quantity

SARA 311/312 Hazardous Chemical

| Chemical Identity | Threshold Planning Quantity |
|----------------------|-----------------------------|
| Titanium dioxide | 10000 lbs |
| Diisodecyl phthalate | 10000 lbs |
| Aluminum oxide | 10000 lbs |
| Zirconium dioxide | 10000 lbs |
| Amorphous silica | 10000 lbs |

SARA 313 (TRI Reporting)

Chemical Identity

Aluminum oxide

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



WARNING

Cancer and Reproductive Harm - www.P65Warnings.ca.gov

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity Titanium dioxide Aluminum oxide



US. Massachusetts RTK - Substance List

<u>Chemical Identity</u> Titanium dioxide Aluminum oxide

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity Titanium dioxide Diisodecyl phthalate Aluminum oxide

US. Rhode Island RTK

Chemical Identity

Titanium dioxide Aluminum oxide

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

VOC:

| Regulatory VOC (less water and exempt solvent) | : | 0 g/l |
|------------------------------------------------|---|--------|
| VOC Method 310 | : | 0.00 % |



| Inventory Status: Australia AICS: | One or more components in this product are not listed on or exempt from the Inventory. |
|------------------------------------------|----------------------------------------------------------------------------------------|
| Canada DSL Inventory List: | All components in this product are listed on or exempt from the Inventory. |
| EINECS, ELINCS or NLP: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan (ENCS) List: | One or more components in this product are not listed on or exempt from the Inventory. |
| China Inv. Existing Chemical Substances: | One or more components in this product are not listed on or exempt from the Inventory. |
| Korea Existing Chemicals Inv. (KECI): | One or more components in this product are not listed on or exempt from the Inventory. |
| Canada NDSL Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |
| Philippines PICCS: | One or more components in this product are not listed on or exempt from the Inventory. |
| US TSCA Inventory: | All components in this product are listed on or exempt from the Inventory. |
| New Zealand Inventory of Chemicals: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan ISHL Listing: | One or more components in this product are not listed on or exempt from the Inventory. |
| Japan Pharmacopoeia Listing: | One or more components in this product are not listed on or exempt from the Inventory. |
| Mexico INSQ: | One or more components in this product are not listed on or exempt from the Inventory. |
| Ontario Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |
| Taiwan Chemical Substance Inventory: | One or more components in this product are not listed on or exempt from the Inventory. |



16.Other information, including date of preparation or last revision

| Revision Date: | 02/20/2019 |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Version #: | 2.1 |
| Further Information: | No data available. |
| Disclaimer: | For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. |